



Kabelschuhe lötfrei Ringform mit Isolation lose und Bandware

RSY = Polyamid (NYLON) -105°C

RSP = PVC -75°C

*= nicht genormt nach DIN

Artikelnummer		Leiterquer- schnitt in mm ²	Kenn- farbe	Bolzen M	Nenn- größe Din 46237	Abmessung in mm		
						D	B	L
RSY 7180	A 2-0,5	0,10-0,50	gelb	2,0	*	2,30	5,00	16,50
RSY 7180	A 2,5-0,5	0,10-0,50	gelb	2,5	*	2,30	5,00	16,50
RSY 7180	A 3-0,5	0,10-0,50	gelb	3,0	*	2,30	5,00	16,50
RSY 7181	A 3,5-0,5	0,10-0,50	gelb	3,5	*	2,30	6,50	19,00
RSY 7181	A 4-0,5	0,10-0,50	gelb	4,0	*	2,30	7,00	19,25
RSY 7182	A 5-0,5	0,10-0,50	gelb	5,0	*	2,30	8,00	20,00
RSY 7103	A 2-1	0,25-1,65	rot	2,0	2-1	4,10	5,50	17,50
RSY 7103	A 2,5-1	0,25-1,65	rot	2,5	2,5-1	4,10	5,50	17,50
RSY 7103	A 3-1	0,25-1,65	rot	3,0	3-1	4,10	5,50	17,50
RSY 7103	A 3,5-1	0,25-1,65	rot	3,0	3,5-1	4,10	5,50	17,50
RSY 7104	A 4-1	0,25-1,65	rot	4,0	4-1	4,10	8,00	20,40
RSY 7154	A 4-1	0,25-1,65	rot	4,0	*	4,10	6,60	20,40
RSY 7104	A 5-1	0,25-1,65	rot	5,0	*	4,10	6,60	20,40
RSY 7105	A 5-1	0,25-1,65	rot	5,0	5-1	4,10	8,00	21,80
RSY 7105	A 6-1	0,25-1,65	rot	6,0	*	4,10	8,00	21,80
RSY 7158	A 6-1	0,25-1,65	rot	6,0	*	4,10	11,60	27,50
RSY 7158	A 8-1	0,25-1,65	rot	8,0	*	4,10	11,60	27,50
RSY 7158	A 10-1	0,25-1,65	rot	10,0	*	4,10	13,70	31,50
RSY 7159	A 3-2,5	1,04-2,63	blau	3,0	3-2,5	4,50	6,60	20,60
RSY 7160	A 3-2,5	1,04-2,63	blau	3,0	*	4,50	8,50	23,00
RSY 7159	A 3,5-2,5	1,04-2,63	blau	3,5		4,50	6,60	20,60
RSY 7160	A 3,5-2,5	1,04-2,63	blau	3,5	3,5-2,5	4,50	8,50	23,00
RSY 7108	A 4-2,5	1,04-2,63	blau	4,0	*	4,50	6,60	20,60
RSY 7160	A 4-2,5	1,04-2,63	blau	4,0	4-2,5	4,50	8,50	23,00
RSY 7108	A 5-2,5	1,04-2,63	blau	5,0	4-2,5	4,50	8,50	20,60
RSY 7109	A 5-2,5	1,04-2,63	blau	5,0	*	4,50	9,50	23,00
RSY 7109	A 6-2,5	1,04-2,63	blau	6,0	5-2,5	4,50	12,00	28,00
RSY 7110	A 6-2,5	1,04-2,63	blau	6,0	*	4,50	10,00	26,50
RSY 7162	A 8-2,5	1,04-2,63	blau	8,0	6-2,5	4,50	12,00	28,00
RSY 7151	A 10-2,5	1,04-2,63	blau	10,0	8-2,5	4,50	13,60	31,70
RSY 7151	A 12-2,5	1,04-2,63	blau	12,0	*	4,50	18,00	31,70
RSY 7224	A 16-2,5	1,04-2,63	blau	16,0	*	4,50	18,00	31,70



Albert Schäfer Nachf. GmbH
Forststraße 154
70193 Stuttgart

Telefon: 0711 633037-0
Telefax: 0711 633037-29
eMail: verkauf@albert-schaefer.de



Artikelnummer	Leiterquer- schnitt in mm ²	Kenn- farbe	Bolzen M	Nenn- größe Din 46237	Abmessung in mm		
					D	B	L
RSY 7155 A 3-6	2,63-6,64	gelb	3,0	*	6,60	9,50	26,70
RSY 7155 A 3,5-6	2,63-6,64	gelb	3,5	*	6,60	9,50	26,70
RSY 7155 A 4-6	2,63-6,64	gelb	4,0	4-6	6,60	9,50	26,70
RSY 7156 A 4-6	2,63-6,64	gelb	4,0	*	6,60	7,40	26,70
RSY 7112 A 5-6	2,63-6,64	gelb	5,0	5-6	6,60	9,50	26,70
RSY 7114 A 6-6	2,63-6,64	gelb	6,0	6-6	6,60	12,00	32,70
RSY 7115 A 8-6	2,63-6,64	gelb	8,0	8-6	6,60	15,00	34,90
RSY 7117 A 10-6	2,63-6,64	gelb	10,0	10-6	6,60	15,00	34,90
RSY 7117 A 12-6	2,63-6,64	gelb	12,0	*	6,60	19,20	39,60
RSY 7119 A 5-10	>6,0-10,0	rot	5,0	5-10	8,00	10,00	29,50
RSY 7120 A 6-10	>6,0-10,0	rot	6,0	6-10	8,00	11,00	31,00
RSY 7121 A 8-10	>6,0-10,0	rot	8,0	8-10	8,00	14,00	35,50
RSY 7122 A 10-10	>6,0-10,0	rot	10,0	10-10	8,00	18,00	38,50
RSY 7123 A 12-10	>6,0-10,0	rot	12,0	*	8,00	22,00	42,50
RSY 7125 A 5-16	>10,0-16,0	blau	5,0	5-16	11,00	11,00	37,00
RSY 7125 A 6-16	>10,0-16,0	blau	6,0	6-16	11,00	11,00	37,00
RSY 7126 A 8-16	>10,0-16,0	blau	8,0	8-16	11,00	14,00	40,50
RSY 7127 A 10-16	>10,0-16,0	blau	10,0	10-16	11,00	18,00	44,50
RSY 7128 A 12-16	>10,0-16,0	blau	16,0	*	11,00	22,00	48,50
RSY 7156 A 5-25	>16,0-25,0	gelb	5,0	*	13,00	12,00	44,00
RSY 7156 A 6-25	>16,0-25,0	gelb	6,0	6-25	13,00	12,00	44,00
RSY 7130 A 8-25	>16,0-25,0	gelb	8,0	8-25	13,00	16,00	46,00
RSY 7131 A 10-25	>16,0-25,0	gelb	10,0	10-25	13,00	18,00	48,00
RSY 7132 A 12-25	>16,0-25,0	gelb	12,0	12-25	13,00	22,00	55,00
RSY 7132 A 26-25	>16,0-25,0	gelb	16,0	*	13,00	28,00	62,00
RSY 7229 A 6-35	>25,0-35,0	rot	6,0	*	14,50	15,00	48,50
RSY 7134 A 8-35	>25,0-35,0	rot	8,0	8-35	14,50	16,00	49,00
RSY 7175 A 10-35	>25,0-35,0	rot	10,0	10-35	14,50	18,00	51,00
RSY 7135 A 12-35	>25,0-35,0	rot	12,0	12-35	14,50	22,00	57,00
RSY 7135 A 16-35	>25,0-35,0	rot	16,0	*	14,50	28,00	65,00
RSY 7136 A 6-50	>35,0-50,0	blau	6,0	*	16,50	18,00	56,50
RSY 7136 A 8-50	>35,0-50,0	blau	8,0	8-50	16,50	18,00	56,50
RSY 7136 A 10-50	>35,0-50,0	blau	10,0	10-50	16,50	18,00	56,50
RSY 7137 A 12-50	>35,0-50,0	blau	12,0	12-50	16,50	22,00	60,50
RSY 7139 A 16-50	>35,0-50,0	blau	16,0	*	16,50	28,00	67,50



**Albert
Schäfer
Nachf.**

Albert Schäfer Nachf. GmbH
Forststraße 154
70193 Stuttgart

Telefon: 0711 633037-0
Telefax: 0711 633037-29
eMail: verkauf@albert-schaefer.de



Artikelnummer				Leiterquer- schnitt in mm ²	Kenn- farbe	Bolzen M	Nenn- größe Din 46237	Abmessung in mm		
								D	B	L
RSY 7140	A	6-70	>50,0-70,0	gelb	6,0	*		18,70	22,00	62,00
RSY 7140	A	8-70	>50,0-70,0	gelb	8,0	8-70		18,70	22,00	62,00
RSY 7140	A	10-70	>50,0-70,0	gelb	10,0	10-70		18,70	22,00	62,00
RSY 7140	A	12-70	>50,0-70,0	gelb	12,0	12-70		18,70	22,00	62,00
RSY 7142	A	16-70	>50,0-70,0	gelb	16,0	*		18,70	28,00	69,00
RSY 7177	A	8-95	>70,0-95,0	rot	8,0	*		21,70	24,00	69,50
RSY 7177	A	10-95	>70,0-95,0	rot	10,0	10-95		21,70	24,00	69,50
RSY 7177	A	12-95	>70,0-95,0	rot	12,0	12-95		21,70	24,00	69,50
RSY 7177	A	16-95	>70,0-95,0	rot	16,0	*		21,70	28,00	73,50
RSY 7176	A	8-120	>95,0-120,0	blau	8,0	*		24,20	24,00	74,00
RSY 7176	A	10-120	>95,0-120,0	blau	10,0	10-120		24,20	24,00	74,00
RSY 7176	A	12-120	>95,0-120,0	blau	12,0	12-120		24,20	24,00	74,00
RSY 7176	A	16-120	>95,0-120,0	blau	16,0	*		24,20	28,00	80,00
RSY 7176	A	10-150	>120,0-150,0	gelb	10,0	*		27,20	30,00	85,00
RSY 7176	A	12-120	>120,0-150,0	gelb	12,0	*		27,20	30,00	85,00
RSY 7176	A	16-150	>120,0-150,0	gelb	16,0	*		27,20	30,00	85,00
RSP 7103	A	3-1	0,25-1,65	rot	3,0			4,30	5,50	17,50
RSP 7103	A	3,5-1	0,25-1,65	rot	3,0			4,30	5,50	17,50
RSP 7104	A	4-1	0,25-1,65	rot	4,0			4,30	6,60	20,40
RSP 7104	A	5-1	0,25-1,65	rot	5,0			4,30	6,60	20,40
RSP 7105	A	5-1	0,25-1,65	rot	5,0			4,30	8,00	21,80
RSP 7105	A	6-1	0,25-1,65	rot	6,0			4,30	8,00	21,80
RSP 7158	A	6-1	0,25-1,65	rot	6,0			4,30	11,60	27,50
RSP 7158	A	8-1	0,25-1,65	rot	8,0			4,30	11,60	27,50
RSP 7158	A	10-1	0,25-1,65	rot	10,0			4,30	11,60	31,50
RSP 7159	A	3-2,5	1,04-2,63	blau	3,0			4,90	6,60	20,60
RSP 7160	A	3-2,5	1,04-2,63	blau	3,0			4,90	8,50	23,00
RSP 7159	A	3,5-2,5	1,04-2,63	blau	3,5			4,90	6,60	20,60
RSP 7160	A	3,5-2,5	1,04-2,63	blau	3,5			4,90	8,50	23,00
RSP 7108	A	4-2,5	1,04-2,63	blau	4,0			4,90	6,60	20,60
RSP 7160	A	4-2,5	1,04-2,63	blau	4,0			4,90	8,50	23,00
RSP 7108	A	5-2,5	1,04-2,63	blau	5,0			4,90	8,50	20,60
RSP 7109	A	5-2,5	1,04-2,63	blau	5,0			4,90	9,50	23,00
RSP 7109	A	6-2,5	1,04-2,63	blau	6,0			4,90	12,00	28,00
RSP 7162	A	8-2,5	1,04-2,63	blau	8,0			4,90	12,00	28,00
RSP 7151	A	10-2,5	1,04-2,63	blau	10,0			4,90	13,60	31,70



**Albert
Schäfer
Nachf.**

Albert Schäfer Nachf. GmbH
Forststraße 154
70193 Stuttgart

Telefon: 0711 633037-0
Telefax: 0711 633037-29
eMail: verkauf@albert-schaefer.de



Artikelnummer	Leiterquer- schnitt in mm ²	Kenn- farbe	Bolzen M	Nenn- größe Din 46237	Abmessung in mm		
					D	B	L
RSP 7155 A 4-4	2,63-4,62	schw	4,0		6,10	9,50	26,50
RSP 7152 A 5-4	2,63-4,62	schw	5,0		6,10	9,50	26,50
RSP 7155 A 3-6	2,63-6,64	gelb	3,0		6,60	9,50	26,70
RSP 7155 A 3,5-6	2,63-6,64	gelb	3,5		6,60	9,50	26,70
RSP 7155 A 4-6	2,63-6,64	gelb	4,0		6,60	9,50	26,70
RSP 7156 A 4-6	2,63-6,64	gelb	4,0		6,60	7,40	26,70
RSP 7112 A 5-6	2,63-6,64	gelb	5,0		6,60	9,50	26,70
RSP 7114 A 6-6	2,63-6,64	gelb	6,0		6,60	12,00	32,70
RSP 7115 A 8-6	2,63-6,64	gelb	8,0		6,60	15,00	34,90
RSP 7117 A 10-6	2,63-6,64	gelb	10,0		6,60	15,00	34,90
RSP 7117 A 12-6	2,63-6,64	gelb	12,0		6,60	19,20	39,60



**Albert
Schäfer
Nachf.**

Albert Schäfer Nachf. GmbH
Forststraße 154
70193 Stuttgart

Telefon: 0711 633037-0
Telefax: 0711 633037-29
eMail: verkauf@albert-schaefer.de